INSTRUCTIONS:

- 1. All Minimum Equipment Inventory forms shall be fully completed. Indicate on the blank line beside each equipment item description the actual number of items currently owned by a rescue squad. (i.e., if a rescue squad owns two (2) center punches, enter the number "2" on the blank line. Do not use a check mark to indicate ownership of the equipment item.) Account for all equipment owned by a rescue squad, including items not in working order or no longer serviceable.
- 2. When a rescue squad engages in more than one specialized rescue squad activity or general rescue squad activity, the equipment listed as New or Replacement Equipment or Replacement Only Equipment for rescue squads specializing in water rescue and recovery, water rescue and recovery utilizing divers, high angle rescue, cave rescue, or search for lost, trapped or missing persons, will not have to be duplicated to meet minimum equipment inventory requirements. Duplicate items listed under specialized rescue squad inventories should be marked with a "D" on the blank line.
- 3. Direct questions regarding the inventory process to the Kentucky Division of Emergency Management (KYEM) Area Office.

GENERAL PURPOSE RESCUE SQUAD MINIMUM EQUIPMENT INVENTORY The minimum equipment for a rescue squad that has as a light duty rescue and extrication of persons from vehicles mission shall be:			
The minimum equipment for a rescue squad t Twelve (12) pairs of protective eyewear; Twelve (12) protective coats or jumpsuits Twelve (12) rescue helmets Two (2) first aid kits, twenty-four (24) unit industrial type or equivalent Two (2) full backboards One (1) basket litter 100 feet of one (1) inch diameter of tubular nylon webbing; One (1) twelve (12) foot chain, grade 80 or greater, recovery rated; Two (2) hacksaw frames with spare blades or equivalent saws Two (2) pairs of pliers, slip-joint One (1) pair of locking pliers Two (2) pairs wire cutters with insulated grips One (1) center or rescue punch; Four (4) screwdrivers, flat blade (slot head), assorted sizes of Allen wrenches, torx drives, and Robertson square head screwdrivers;	hat has as a light duty rescue and extrication of One (1) mattock One (1) bow saw; One (1) pair of bolt cutters One (1) clain saw with fourteen (14) inch bar One (1) rounded point shovel, short handle; Two (2) wrecking or pry bars One (1) minimum of one and one-half (1 1/2) ton cable puller or come-along; One (1) minimum of ten (10) ton manual hydraulic power supply; One (1) minimum of five (5) ton hydraulic jack One (1) halligan tool, or equivalent; Two (2) rescue pulleys 200 feet of utility rope; 100 feet of half-inch inch static rescue kernmantle rope; One (1), eight (8) foot ladder Two (2) tarps or salvage covers; One (1), three (3) gallon gas	 persons from vehicles mission shall be: One (1), fifty (50) foot section of No. 10 electrical extension cord, GFI equipped One (1), 100 foot section of No. 10 electrical extension cord, GFI equipped; One (1), 100 foot section of No. 12 electrical extension cord, GFI equipped; Twelve (12) ANSI-approved traffic safety reflective vests; Five (5), thirty-six (36) inch traffic cones with reflective collars (only required for rescue squads that perform vehicle extrication.) One (1) base radio One (1) antenna for the base radio One (1) radio antenna tower or functional alternative structure for elevating the base radio antenna at least fifty (50) feet above ground level One (1) mobile radio with mobile antenna for the rescue squad's required vehicle, if the vehicle is a motor vehicle; 	
One (1) seat belt cutter One (1) pair tin snips; One (1) claw hammer Two (2) adjustable wrenches Two (2) pipe wrenches Two (2) axes, single bit;	One (1), three (3) gailon gas can, safety type Two (2), ten (10) pound fire extinguishers, ABC rated One (1), two-point-five (2.5) KVA portable generator, or equivalent;	Six (6) portable radios with two (2) batteries or battery packs and one (1) charger per radio (or equivalent multi- charger unit)	

SPECIALTY: WATER RESCUE AND RECOVERY The minimum equipment for a rescue squad specializing in water rescue and reco	
 One (1) rigid hull boat, a minimum of (12) feet in length with U.S. Coast Guard required lighting and equipment (33 C.F.R. 18) One (1) boat motor, appropriate for boat Two (2) marine-type gas tanks One (1) boat anchor; One (1) boat trailer, appropriate for boat; Two (2) boat oars or paddles Four (4), Type III personal flotation devices approved by the U.S. Coast Guard (33 C.F.R.) Two (2) electric lanterns or spot lights Four (4) buoy markers One (1) tool box; One (1) flat blade (slot head) screwdriver One (1) Phillips head screwdriver; 	 One (1) pair of pliers, slip joint; One (1) pair of locking pliers; Two (2) grappling irons or drag hooks Two (2) pike poles, shepherd's hooks, or boat hooks 500 feet of half-inch diameter nylon or polypropylene rope, with rope bags Two (2) water throw bags with seventy-five (75) feet of nylon rope for each bag Two (2) rescue pulleys One (1) full backboard, basket litter, or equivalent industrial-type or equivalent Two (2) flashlights
SPECIALTY: DIVE RESCUE AND RECOVERY S The minimum equipment for a rescue squad specializing in w	
 One (1) rigid hull boat, a minimum of (12) feet in length with U.S. Coast Guard required lighting and equipment (33 C.F.R. 183) One (1) boat motor, appropriate for boat Two (2) marine-type gas tanks One (1) boat anchor; One (1) boat trailer, appropriate for boat; Two (2) boat oars or paddles Four (4), Type III personal flotation devices approved by the U.S. Coast Guard (33 C.F.R. Two (2) electric lanterns or spot lights Four (4) buoy markers One (1) tool box; One (1) tool box; One (1) Phillips head screwdriver; One (1) pair of pliers, slip joint; One (1) pair of pliers, slip joint; One (2) grappling irons or drag hooks Two (2) pike poles, shepherd's hooks, or boat hooks 500 feet of half-inch diameter nylon or polypropylen rope, with rope bags Two (2) rescue pulleys 	 Appropriate swimwear and snorkeling shoes for the environment; For Level 2: One (1) full face mask per certified diver One (1) dry suit per certified diver One (1) independent back-up air supply For Level 3, in addition to the equipment established in subsection (2) of this section, at a minimum surface supplied air and redundant air supply; For Level 4, in addition to the equipment established in subsections (2) and (3) of this

One (1) litter, basket style	Six (6) edge protection, appropriate for cave
One (1) litter, flexible, full length, vertical lift	environment
capability;	One (1) flexible ladder, fifteen (15) feet;
One (1) splint kit; Thister (20) southing and had inter D(a	One (1) swivel;
Thirty (30) carabiners, locking, D's	One (1) radium load release hitch, or equivalen
Twelve (12) rescue helmets, with hands-free or	Six (6) rope grabs, mechanical
helmet lighting	Three (3) ropes, seven-sixteenths (7/16), two
_ Four (4) friction devices, G-rated, 5 bar minimum,	hundred (200) static kernmantle lifeline
with tie-off;	One (1) rope, ten and five-tenths (10.5) mm, or
Two hundred (200) feet of webbing;	7/16 inches, 150 feet, dynamic kernmantle lifeli
_ Two (2) pulleys, two (2) inch, single, prusik	(UIAA approved)
minding	400 feet, half-inch diameter static kernmantle
_ Four (4) pulleys, two (2) inch double, prusik	lifeline
minding	200 feet, half-inch diameter static kernmantle
One (1) pulley - knot passing;	lifeline
(4) sets of prusik cords, matched for pulleys;	Six (6) rope bags, with drain hole or waterproo

The minimum equipment for a rescue squad specializing in high angle rescue shall be:

Six (6) helmets with chin straps and Four (4) anchor plates Six (6) rescue pulleys designed for working at heights and meeting ANSI Z89.1-2014 or equivalent Four (4) friction devices; Six (6) rope grabs or ascenders; standard; Six (6) pairs of gloves, styled for rope One (1) large knot passing pulley; One (1) victim seat or harness rescue work Six (6) flashlights designed for hands-free One (1) litter or basket; operation One (1) litter harness; Four (4) full body (Class III) harnesses One (1) litter patient tie in system; designed for rope rescue work and Two (2) edge protectors meeting ANSI Z359.11 NFPA 1983, or One (1) radium load release hitch, or equivalent One (1) mobile radio with mobile antenna for equivalent 400 feet of half-inch diameter rescue rope rescue squad's required vehicle 300 feet of webbing Six (6) portable radios with (2) batteries or Ten (10) sets of prusik or utility cord; battery packs and one (1) charger per radio or Two (2) load release straps or web system equivalent multi-charger unit All base, mobile radio, and antennas require configured for load release systems; Two (2) pick-off straps transmission line or coaxial cable, and other Two (2) etrier, ladder, or multi-loop straps; ancillary items to render the radio functional for radio communication Six (6) rope storage bags Thirty (30) locking carabiners

SPECIALTY: SWIFTWATER RESCUE SQUAD MINIMUM EQUIPMENT INVENTORY

The minimum equipment for a rescue squad specializing in swiftwater shall be:

The minimum equipment for a research	
 One (1) boat anchor; One (1) boat trailer, appropriate for boat; Two (2) boat oars or paddles Four (4), Type III personal flotation devices approved by the U.S. Coast Guard (33 C.F.R. Two (2) electric lanterns or spot lights Four (4) buoy markers One (1) tool box; One (1) flat blade (slot head) screwdriver One (1) Phillips head screwdriver; One (1) pair of pliers, slip joint; One (1) pair of locking pliers; Two (2) grappling irons or drag hooks Two (2) pike poles, shepherd's hooks, or boat hooks 500 feet of half-inch diameter nylon or polypropylene rope, with rope bags Two (2) water throw bags with seventy-five (75) feet of nylon rope for each bag Two (2) rescue pulleys 	 One (1) full backboard, basket litter, or equivalent One (1) first aid kit, twenty-four (24) unit industrial-type or equivalent Two (2) flashlights Six (6) Personal Flotation Devices (PFD), Class V, with tethers Six (6) rescue or dive knives Six (6) whistles Six (6) vented helmets suitable for water rescue 400 feet of 7/16 inches polypropylene or nylon rope One (1), twelve (12) foot self-bailing, inflatable rescue raft or inflatable rescue boat, or equivalent; Six (6), seventy-five (75) foot throw bags (in addition to those required by Section 3 of this administrative regulation) Four (4) dry suits Four (4) paddles 100 feet of messenger line or rope
SPECIALTY: SEARCH DOG RESCUE SQUAD MINI The minimum equipment for a single-handler rescue squad utilizing dogs	
 Three (3) flashlights with extra batteries One (1) GPS unit, capable of U.S. Geographic Service (USGS) data; Two (2) rolls, 100 feet each flagging or surveyor tape; 	One (1) portable radio with two (2) batteries or battery packs and one (1) charger per radio (or equivalent multi-charger unit). This requirement may be satisfied by the handler being accompanied by another individual with appropriate communications.
SPECIALTY: LOST, TRAPPED OR MISSING SEARCH AND The minimum equipment for a rescue squad specializing	
 One (1) basket litter Topographical maps of primary response area, 1:24000m (may be electronic) Two (2) full backboards One (1) basket litter 100 feet of one (1) inch diameter tubular nylon webbing; One (1) first aid kit, twenty-four (24) unit industrial type or equivalent Twelve (12) reflective or high-visibility vests or clothing 	 One (1) mobile radio with mobile antenna for rescue squad's required vehicle Six (6) portable radios with (2) batteries or battery packs and one (1) charger per radio or equivalent multi-charger unit All base, mobile radio, and antennas require transmission line or coaxial cable, and other ancillary items to render the radio functional for radio communication

SPECIALTY: EQUINE RESCUE SQUAD MINIMUM EQUIPMENT INVENTORY

The minimum equipment for An equine rescue squad utilizing horses (equines) shall be:

One (1) basket litter	All base, mobile radio, and antennas require
Topographical maps of primary response area,	transmission line or coaxial cable, and other
1:24000m (may be electronic)	ancillary items to render the radio functional for
Two (2) full backboards	radio
One (1) basket litter	Fifty (50) feet, 1,850-lb rated braided rope
100 feet of one (1) inch diameter tubular nylon	One (1) equine first aid kit
webbing;	Two (2) portable corrals
One (1) first aid kit, twenty-four (24) unit	Two (2) carabiners – locking
industrial type or equivalent	Two (2) USTM or SEI certified equine rider
Twelve (12) reflective or high-visibility vests or	helmets
clothing	Two (2) equine tack mounted flashlights
One (1) mobile radio with mobile antenna for	Two (2) equine care multi-purpose tools
rescue squad's required vehicle	Two (2) sets of reflective tack for identification
	Two (2) portable radios with two (2) batteries or
	battery packs and one (1) charger per radio (or
	equivalent multi-charger unit).

PRIMARY RESCUE VEHICLE IDENTIFICATION

Unit 1:	Make Model Year	License # Mileage Rescue Specialty
Unit 2:	Make Model Year	License # Mileage Rescue Specialty
Unit 3:	Make Model Year	License # Mileage Rescue Specialty
Unit 4:	Make Model Year	License # Mileage Rescue Specialty

Unit 5:	Make	Model
KYEM Form 465 Cumulative Equipment Inventor	y, Revised July 2018	5 of 7

Year License #

Mileage

Rescue Specialty

ADDITIONAL RESCUE SQUAD EQUIPMENT INVENTORY

List all additional rescue equipment owned by a rescue squad. (Use additional pages if needed.)

Quantity	Description	Purchased wtih Rescue Aid Funds? Y/N	KYEM Assigned Serial Number (if applicable)

EQUIPMENT INVENTORY CERTIFICATION

I hereby certify that all equipment inventories are a true reflection and accurate statement of all equipment owned by the

as of

Name of Rescue Squad

Inventory certified by (Signature of Local EM Director)

ATTACH A COMPLETED COPY OF ALL INVENTORY PAGES TO EACH RESCUE AID APPLICATION SUBMITTED. COPIES OF PREVIOUSLY CONDUCTED INVENTORIES WILL NOT BE ACCEPTED.

Date Signed

Date
